

# Package: requireR (via r-universe)

November 1, 2024

**Title** R Source Code Modularizer

**Version** 1.0.0.1

**Description** Modularizes source code. Keeps the global environment clean, explicifies interdependencies. Inspired by 'RequireJS' <<http://requirejs.org/>>.

**Depends** R (>= 3.3.1)

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 5.0.1

**Suggests** knitr, rmarkdown

**VignetteBuilder** knitr

**Repository** <https://petervdberg.r-universe.dev>

**RemoteUrl** <https://github.com/petervdberg/requireR>

**RemoteRef** HEAD

**RemoteSha** 105d0bd8e9dc6b7aa9eda2e48129f73e50ca5eda

## Contents

requireR . . . . .	1
<b>Index</b>	<b>3</b>

---

requireR	<i>Loads given files and modularizes the given function</i>
----------	---

---

## Description

Loads given files and modularizes the given function

**Usage**

```
requireR(...)
```

**Arguments**

...                   A set of filenames, and/or ending with the modularizable function.

**Examples**

```
## Not run:
#hello.R
requireR(function() {
  "hello"
})

#world.R
requireR(function() {
  "world"
})

requireR(
  "hello.R",
  "world.R",
  function(hello, world) {
    paste(hello, world)
  })

## End(Not run)
```

# Index

`requireR`, 1